

# Bibliografía

- Alexander, D.J. 2000. A review of avian influenza in different bird species. *Veterinary Microbiology* 74: 3-13.
- Alexander, D.J. 2007. Summary of avian influenza activity in Europe, Asia, Africa, and Australasia, 2002-2006. *Avian Diseases*. 51:161-166.
- Anónimo. 2009. Implementación del plan sectorial ambiental de vigilancia y prevención de la influenza aviar en aves silvestres en Colombia. Convenio especial de cooperación científica y tecnológica entre el Ministerio de Ambiente y Desarrollo Sostenible y Wildlife Conservation Society (WCS), para avanzar en la implementación del plan sectorial ambiental de vigilancia y prevención de la influenza aviar en aves silvestres en Colombia. Informe Final. CALIDRIS, GAINS, MADS, WILDLIFE CONSERVATION SOCIETY, USAID. Cali, Colombia.
- Anzures-D. A. & R. H. Manson. 2007. Patch-and landscape-scale effects on howler monkey distribution and abundance in rainforest fragments. *Animal Conservation* 10: 69-76.
- Arroyo-R. V., S. Mandujano, J. Benítez-M. & C. Cuende-F. 2007. The Influence of large tree density on howler monkey (*Alouatta palliata mexicana*) presence in very small rain forest fragments. *Biotropica* 39(6): 760-766.
- Astorga, R., C. Tarradas, A. Maldonado, A. Arenas, I. Luque, S. Vicente y A. Perea. 1994. Estudio de infecciones en anátidas silvestres del Parque Nacional de Doñana. *Oxyura*, 7:213-219.
- Astorga, R., A. Maldonado, C. Tarradas, A. Arenas y A. Perea. 1996. Infecciones en aves acuáticas no anátidas de Doñana: Estudio epidemiológico. *Oxyura* 8:93-101.
- Avian influenza viruses in wild birds: A moving target. *Comparative Immunology, Microbiology & Infectious Diseases*. 32:275-286.
- Birdlife International. 2006. BirdLife's Statement on Avian Influenza. [http://www.birdlife.org/action/science/species/avian\\_flu/downloads.html](http://www.birdlife.org/action/science/species/avian_flu/downloads.html) Revisado el 15 enero 2008.
- Birdlife International. 2007. Surveillance of wild birds. Abril 2006. [http://www.birdlife.org/action/science/species/avian\\_flu/downloads.html](http://www.birdlife.org/action/science/species/avian_flu/downloads.html) Revisado el 15 enero 2008.
- Boyce, W.M., C. Sandrock, C. Kreuder-Johnson, T. Kelly y C. Cardona. 2009.
- BRADSTREET, M.S.W., G.W. PAGE & W.G. JOHNSTON. 1977. Shorebirds at Long Point, Lake Erie, 1966-1971: Seasonal occurrence, habitat preference and variation in abundance. *Can. Field-Nat.* 91(3):225-236.

- Buckland S.T., Anderson D.R., Burnham K.P., Laake J.L., Borchers D.L. y L Thomas. 2001 Introduction to distance sampling: estimating abundance of biological populations. Oxford, New York, Oxford University Press, 432p. CONAF, CONAMA, BIRF. 1997.
- Burguer, J., M.A. Howe, D.C. Hahn, & J. Chase. 1977. Effects of tide cycles on habitat partitioning by migrating shorebirds. *Auk* 94:743-758.
- Burguer, J. 1984. Abiotic factors affecting migrant shorebirds. Pages 1-72 in Burger, J. & B.L. Olla (Eds.). Behaviour of marine animals, Vol. 6. Shorebirds: migration and foraging behaviour. Plenum Press, New York.
- Butler, R.W. & R.W. Campell. 1987. The birds of the Fraser River delta: populations, ecology and international significance. Occasional Paper, No. 65. Canadian Wildlife Service, Delta, British Columbia. 73 pp.
- Butler, R.W. & G.W. KAISER. 1995. Migration chronology, length of stay, sex ratio, and body mass of Least Sandpipers (*Calidris minutilla*) on the south coast of British Columbia. *Wilson Bull.* 107:413-422.
- Cardona, C.J., Z. Xing, C.E. Sandrock y C.E. Davis. 2009. Avian influenza in birds and mammals. Comparative Immunology, Microbiology & Infectious Diseases. 32:255-273.
- Caron, A., Gaidet. N, de Garine-Wichatitsky M., Morand. S y E. Cameron. 2009. Evolutionary biology, community ecology and avian influenza research. *Infection. Genetics & Evolution*. 9:298-303.
- Colwell, M.A. 1987. Seasonal shorebird abundance at Last Mountain Lake Wildlife Management Unit. *Blue Jay* 45:261-266.
- Colwell, M.A. & L.W. ORING. 1988. Habitat use by breeding and migrating shorebirds in southcentral Saskatchewan. *Wilson Bull.* 100:554-566.
- Cowell, M.A. & R.J. COOPER. 1993. Estimates of coastal shorebird abundance: the importance of multiple counts. *J.Field Ornith.* 64:293-301.
- Crawford, P.C., E.J. Dubovi, W.L. Castleman, I. Stephenson, E.P. Gibbs, L. Chen, C. Smith, R.C. Hill, P. Ferro, J. Pompey, R.A. Bright, M.J. Medina, C.M. Johnson, C.W. Olsen, N.J. Cox, A.I. Klimov, J.M. Katz y R.O. Donis. 2005. Transmission of equine influenza virus to dogs. *Science*. 310:482-485.
- Dunn, P.O., T.A. MAY, M.A. Mccollough, & H.A. Howe. 1988. Length of stay and fat content of migrant Semipalmated Sandpipers in eastern Maine. *Condor* 90:824-835.
- Dunn, E., J. Bart. B. T. Collins, B. Craig, B. Dale, C. M. Downes, C. M. Francis, S. Woodley & P. Zorn. 2006. Monitoring bird populations in small geographic areas. Canadian Wildlife Service, Environnement Canada & Servicio Canadiense de fauna. Canadá.
- EHRHARDT, J.P. 1971. Census of birds of Clipperton Island, 1968. *Condor* 73(4):476-480.
- ENG, R.I. 1986. Waterfowl. Pages 371-386 in A.Y. Cooperrider, R.J. Boyd & H.R. Stuart, eds. Inventory and monitoring of wildlife habitat. U.S. Dept. Inter., Bur. Land Manage. Service Center. Denver, CO.
- Escudero, G., V.J. Munster y M. Bertellotti. 2008. Perpetuation of avian influenza in the Americas: examining the role of shorebirds in Patagonia. *The Auk*. 125:494-495.
- FANCY, S.G. & SAUER, J.R. 2000. Recommended methods for inventorying and monitoring landbirds in national parks. Inventory and Monitoring Program, National Park Service, U.S. Department of the Interior, Fort Collins, Colorado; and Patuxent Wildlife Research Center, Biological Resources Discipline, U.S. Geological Survey, Laurel,

Maryland (available at <http://science.nature.nps.gov/im/monitor/protocols/npsbird.doc>).

- FAO 2006. Wild Bird Highly Pathogenic Avian Influenza Surveillance. Sample collection from healthy, sick and dead birds. Edited by K. Rose, S. Newman, M. Uhart and J. Lubroth. FAO Animal production and health manual, No. 4. Rome. (Disponible en [www.fao.org/avian.u](http://www.fao.org/avian.u)). Revisado el 15 enero 2008.

- FAO 2007a. Wild Birds and Avian Influenza: an introduction to applied field research and disease sampling techniques. Edited by D. Whitworth, S.H. Newman, T. Mundkur and P. Harris. FAO Animal production and health manual, No. 5. Rome. (Disponible en [www.fao.org/avian.u](http://www.fao.org/avian.u)). Revisado el 15 enero 2008.

- FAO 2007b. Vigilancia de la influenza aviar altamente patógena en las aves silvestres. Toma de muestras de aves sanas, enfermas y muertes. 56p.

- FARNSWORTH, G.L.; POLLOCK, K.H.; NICHOLS, J.D.; SIMONS, T.R.; HINES, J.E.& SAUER, J.R. 2002. A removal model for estimating detection probabilities from point-count surveys. *Auk* 119: 414–425.

- Franco, A. M., C. Devenish, M. C. Barrero.& M. H. Romero. 2009. Colombia. Pág. 135 –148. En: Devenish, C., D. F. Díaz Fernández, R. P. Clay, I. Davidson & I. Yépez Zabala. (Eds.). 2009. Important Bird Areas Americas - Priority sites for biodiversity conservation. Quito, Ecuador: BirdLife International (BirdLife Conservation Series No. 16).

- Fotos Wildlife Conservation Society-WCS-Colombia, Red Nacional de Observadores de Aves, Asociación CALIDRIS

- Garamszegi, L. y A. Moller. 2007. Prevalence of avian influenza and host

ecology. Proceeding of the Royal Society of Biological Science. 274:2003-2012.

- Gerrodette T. 1987. A power analysis for detecting trends. *Ecology* 68: 1364-1372.

- Gerrodette T. 1991. Models of power of detecting trends – a reply to Link and Hatfield. *Ecology* 72: 1889-1892.

- Hamel, P.B.; Smith, W.P.; Twedt, D.J.; Woehr, J.R.; Morris, E.; Hamilton, R.B. & Cooper, R.J. 1996. A land manager's guide to point counts of birds in the Southeast. General Technical Report SO-120. Southern Experiment Station, Forest Service, U.S. Department of Agriculture, Asheville, North Carolina (available at <http://www.srs.fs.usda.gov/pubs/viewpub.jsp?index=1594>).

- Harris R. & K. Burnham. 2002. On estimating wildlife densities from line transect data. *Acta Zoologica Sinica* 48: 812-818.

- Hichlin, P.W. 1987. The migration of shorebirds in the Bay of Fundy. *Wilson Bull.* 99:540-569.

- Howes, M.A. 1990. Methodology of the International Shorebird Survey and constraints on trend analysis. Pages 23-25 in Sauer, J.R. & S. Droege (Eds.). Survey design and statistical methods for estimation of avian population trends. Biological Report 90, US Fish and Wildlife Service, Washington, DC.

- Howes, J.R. 1987. Rapid assessment techniques for coastal wetland evaluation. Results of a workshop held in Selangor, West Malaysia. 1-7 March 1987. INTERWADER publication No. 24, Kuala Lumpur.

- Hutchinson, G.E. 1978. An introduction to population ecology. New Haven, CT: Yale University Press.

- Hutto, R.L. & Young, J.S. 2002. Regional landbird monitoring: perspectives from the

Northern Rocky Mountains. Wildl. Soc. Bull. 30: 738–758.

- Jones, K.E., N.G. Patel, M.A. Levy, A. Storeygard, D. Balk, J.L. Gittleman y P. Daszak 2008. Global trends in emerging infectious diseases. *Nature* 451:990-994.

- Jones, K.B. 1986. The Inventory and Monitoring Process. Pages 1-10 in A.Y Cooperrider, R.J. Boyd & H.R. Stuart eds. *Inventory and Monitoring of Wildlife Habitat*. WR208.

- Johnston-González R. & D. Eusse-González. 2009. Sitios importantes para la conservación de las aves playeras en Colombia. Asociación Calidris, Cali, Colombia. 34 pp.

- Krauss, S., D. Walker, S.P. Pryor, L. Niles, L. Chenghong, V.S. Hinshaw y R.G. Webster. 2004. Influenza A viruses of migrating wild aquatic birds in North America. *Vector-Borne and Zoonotic Diseases*. 4:177-189.

- Kissling M. L. & E. Garton 2006. Estimating detection probability and density from point-count surveys: a combination of distance and double-observer sampling. *The Auk* 123 (3): 735–752.

- Krebs, C.J. 1989. Ecological methodology. Harper Collins, New York, NY. 654pp.

- Lack. D. 1954. The natural regulation of animal numbers. Oxford Univ. Press. Oxford.

- Lee, C. y Y.M. Saif. 2009. Avian influenza virus. Comparative Immunology, Microbiology & Infectious Diseases. 32:301-310.

- Mapas: Fuentes de información, Parques Nacionales Naturales, Ríos y Límite departamental:SIG-OT, Sistema de Información Geográfica para la planeacion y el Ordenamiento Territorial. Intituto Geográfico Agustín Codazzi. Ultima visita: Noviembre de 2010. Disponible en <http://sigotn.igac.gov.co/sigotn>

Cuerpos de agua y Cobertura del suelo. A partir de:IDEAM, IGAC, IAvH, Invemar, I. Sinchi e IIAP. 2007. Ecosistemas continentales, costeros y marinos de Colombia. Instituto de Hidrología, Meteorología y Estudios Ambientales, Instituto Geográfico Agustín Codazzi, Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Instituto de Investigaciones Ambientales del Pacífico Jhon von Neumann, Instituto de Investigaciones Marinas y Costeras José Benito Vives De Andrés e Instituto Amazónico de Investigaciones Científicas Sinchi. Bogotá, D.C, 276 p. + 37 hojas cartográficas.

Sombras de relieve. A partir de: Jarvis A., H.I. Reuter, A. Nelson, E. Guevara. 2008. Hole-filled seamless SRTM data V4, International Centre for Tropical Agriculture (CIAT), Disponible en <http://srtm.csi.cgiar.org>.

- Morales A., G. Andrade & M. L. Rosas. 2007. Aves acuáticas en las lagunas de Fúquene, Cucunubá y Palacio. *Inventario, estado actual e importancia para la conservación*. 155-184 pp. En: Franco L. & G. Andrade. (Eds.). 2007. Fúquene, Cucunubá y Palacio. Conservación de la biodiversidad y manejo sostenible en un ecosistema lagunar andino. Fundación Humedales e Instituto de Investigaciones de Recursos Biológicos Alexander von Humboldt. Bogotá, D. C. Colombia. 364 pp.

- Morris W. F. & D. F. Doak 2002. Quantitative Conservation Biology. Theory and practice of population viability analysis. Sinauer Associates Inc. Sunderland, MA-USA.

- Mujica O.J., O. Oliva, T. Santos y J.P. Ehrenberg. 2008. Planificación de la preparación para la influenza pandémica: esfuerzos regionales. *Revista Panamericana de la Salud Pública* 23:428-34.

- Munster, V.J., C. Baas, P. Lexmond, J. Waldenstrom, A. Wallensten, T. Fransson, G.F. Rimmelzwaan, W.E. Beyer, M. Schutten, B. Olsen, A.D. Osterhaus y R.A. Fouchier. 2007. Spatial, temporal, and species variation in

- prevalence of influenza A viruses in wild migratory birds. PLoS Pathogens. 3:630-638.
- Nichols, J.D. & Conroy, M.J. 1996. Estimation of species richness. Pages 226–234 in D.E. Wilson, F.R. Cole, J.D. Nichols, R. Rudran, & M.S. Foster (eds.), *Measuring and monitoring biological diversity: standard methods for mammals*. Smithsonian Institution Press, Washington, D.C.
  - Norvell R., F. Howe & J. R. Parrish. 2003. A seven-year comparison of relative-abundance and distance-sampling methods. *The Auk* 120(4): 1013–1028.
  - Olsen, B., V.J. Munster, A. Wallansten, J. Waldenstrom, A.D. Osterhaus y R.A. Fouchier. 2006. Global patterns of influenza a virus in wild birds. *Science* 312:384-388.
  - OMS. 2004. Avian influenza A (H5N1)-update 28: reports of infection in domestic cats. 20 February 2004.
  - OMS. 2007. Update: WHO-confirmed human cases of avian influenza A (H5N1) infection. 25 November 2003-24 November 2006. Weekly Epidemiological Report (WHO). 82:41-48.
  - Pappaioanou, M. 2009. Highly pathogenic H5N1 avian influenza virus: Cause of the next pandemic? *Comparative Immunology, Microbiology & Infectious Diseases*. 32:287-300.
  - Page, G. & A. L.A. Middleton. 1972. Fat depositon during autumn migration in the Semipalmated Sandpiper. *Bird-Banding* 43:85-96.
  - Plumptre A. J. 2000. Monitoring mammal populations with line transect techniques in African forests. *Journal of Applied Ecology* 37: 356-368.
  - Ralph, C.J.; Sauer, J.R. & Droege, S. (EDS.). 1995a. Monitoring bird populations by point counts. General Technical Report PSW-GTR-149. Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture, Albany, California. 187 pp. (available at <http://www.srs.fs.usda.gov/pubs/viewpub.jsp?index=3648>).
  - Rengifo L. M., A. M. Franco-Maya, J. D. Amaya-Espinel, G. H. Kattan, B. López-Lanús. 2002. Libro Rojo de Aves de Colombia. Serie Libros Rojos de Especies Amenazadas de Colombia. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt y Ministerio del Medio Ambiente. Bogotá, Colombia, 562 pp.
  - Rollfinke, B.F. & R.H. Yahner. 1990. Effects of time of day and season on winter bird counts. *Condor* 92:215-219.
  - Rosenstock S.S., D.R. Aanderson, K.M. Giesen, T. Leukering & M.F. Carter. 2002. Landbird counting techniques: Current practices and an alternative. *The Auk* 119 (1): 46 – 53.
  - Ruiz-Guerra, C.; Johnston-González, R., L. F. Castillo Cortés, Y. Cifuentes-Sarmiento, D. Eusse & F. A. Estela. 2008. *Atlas de Aves Playeras y otras Aves Acuáticas en la costa Caribe colombiana*. 2008. Asociación Calidris. Cali. Colombia. 72 pp.
  - Santamaría M., C. Devenís, A. M. Franco, J. D. Sánchez, H. Mendoza, C. Pedraza, F. Forero, S. Medina. 2007. Densidad y ecología básica del tití gris *Saguinus leucopus* en el área de influencia del Embalse Amaní, Norcasia, Caldas. Manuscrito no publicado, Instituto Alexander Von Humboldt – ISAGEN, Bogotá.

- Spackman, E. 2009. The ecology of avian influenza virus in wild birds: What does this mean for poultry? *Poultry Science*. 88:847-850.
- Shields, W.M. 1977. The effect of time of day on avian census results. *Auk* 94:380-383.
- Skagen, S.K. & F.L. Knopf. 1994a. Migrating shorebirds and habitat dynamics at a prairie wetland complex. *Wilson Bull.* 106(1):91-105.
- Skagen, S.K. & F.L. Knopf. 1994b. Residency patterns of migrating sandpipers at a midcontinental stopover. *Condor* 96:949-958.
- Somershoe S., J. D. Twedt & B. Reid. 2006. Combining breeding bird survey and distance sampling to estimate density of migrant and breeding birds. *The Condor* 108: 691-699.
- Stallknecht, D.E. y M.T. Shane. 1988. Host range of avian influenza virus in free-living birds. *Veterinary Research Communications*. 12:125-141.
- Subbarao, K., A. Klimov, J. Katz, H. Regnery, W. Lim, H. Hall, M. Perdue, D. Swayne, C. Bender, J. Huang, M. Hemphill, T. Rowe, M. Shaw, X. Xu, K. Fukuda y N. Cox. 1998. Characterization of an avian influenza A (H5N1) virus isolated from a child with a fatal respiratory illness. *Science*. 279:393-396.
- Sutherland, W.J. 2000. *The Conservation Handbook: Research, Management and policy*. Blackwell Science, University Press Cambridge. P. 36
- Stott, R.S. & D.P. Olson. 1972. An evaluation of waterfowl surveys on the New Hampshire Coastline. *J. Wildl. Manage.* 36(2):468-477. *WR* 146:114.
- Thomas L., Laake, J.L., Strindberg, S., Marques, F.F.C., Buckland, S.T., Thomas L., S. T. Buckland, K. P. Burnham, D. R. Anderson, J. L. Laake, D. L. Orchers y S. Strindberg. 2002. Distance sampling Volume1, p 544-552 en: A. H. El-Shaarawi and W. W. Piegorsch (Eds.). *Encyclopedia of environmetrics*. John Wiley & Sons, Ltd. Chichester.
- Thomas, L., Laake, J.L., Strindberg, S., Marques, F.F.C., Buckland, S.T., Borchers, D.L., Anderson, D.R., Burnham, K.P., Hedley, S.L., Pollard, J.H., Bishop, J.R.B. y T.A. Marques. 2009. Distance 6.0. Release "2"1. Research Unit for Wildlife Population Assessment, University of St. Andrews. UK. <http://www.ruwpa.st-and.ac.uk/distance/>.
- Thompson W. L. 2002. Towards reliable bird surveys: accounting for individuals present but not detected. *The Auk* 119(1): 18-25.
- Tasker, M.L., P. Hope Jones, T. Dixon & B.F. Blake. 1984. Counting seabirds at sea from ships: a review of methods employed and a suggestion for a standardized approach. *Auk* 101:567-577.
- Thompson, F.R., III; Burhans, D.E. & Root, B. 2002. Effects of point count protocol on bird abundance and variability estimates and power to detect population trends. *J. Field Ornithol.* 73: 141–150.
- Thomas L., J. L. Laake, S. Strindberg, F.F. Marques, S. T. Buckland, S. T. Buckland, K. P. Burnham, D. R. Anderson, J. L. Laake, D. L. Orchers & S. Strindberg. 2006. Distance sampling Volume1, pp 544 – 552 en: A. H. El-Shaarawi and W. W. Piegorsch (eds). *Encyclopedia of environmetrics*. John Wiley & Sons, Ltd, Chichester.
- URQUHART, N.S. & KINCAID, T.M. 1999. Designs for detecting trend from repeated surveys of ecological resources. *J. Agric. Biol. Environ. Stat.* 4: 404–414.
- USGS. 2006. Avian Influenza Surveillance of Wild Birds. *Wild Bird Surveillance Plan, USGS Fact Sheet 2009-3025*.

(<http://www.nwhc.usgs.gov/publications/factsheets/pdfs/ai/AIFEB06.pdf>. o  
[http://www.nwhc.usgs.gov/publications/other/Final\\_Wild\\_Bird\\_Strategic\\_Plan\\_0322.pdf](http://www.nwhc.usgs.gov/publications/other/Final_Wild_Bird_Strategic_Plan_0322.pdf)

- USFWS/USGS. 2008. Sampling for highly pathogenic Asian H5N1 avian influenza in migratory birds in Alaska: results of 2007 field season. Progress Report, U.S. Fish and Wildlife Service (Region 7, Alaska) and U.S. Geological Survey, Alaska Science Center. Anchorage, Alaska, and U.S. Geological Survey, National Wildlife Health Center, Madison, Wisconsin. 122p.

- Valderrama, C. 2008. Plan sectorial ambiental de vigilancia y prevención de la influenza aviar en especies silvestres. Ministerio de Ambiente, Vivienda y Desarrollo Territorial-MAVDR, Red Nacional de Observadores de Aves de Colombia-RNOA y Asociación Calidris. Mayo 2008. Cali, Valle del Cauca. 100p.

- Walker R. S., A. J. Novaro & J. D. Nichols. 2000. Consideraciones para la estimación de abundancia de poblaciones de mamíferos. Mastozoología Neotropical / Journal Neotropical Mammals 7(2): 73-80.

- Webster, R.G., S. Krauss, D. Hulse-Post y K. Sturm-Ramirez. 2007. Evolution of Influenza viruses in wild birds. Journal of Wildlife Diseases. 43:81-86.

- Wildlife Health Center-USGS. 2008. List of Species Affected by H5N1 (Avian Influenza): [Ztp://www.nwhc.usgs.gov/disease\\_information/avian\\_influenza/affected\\_species\\_chart.jsp](http://www.nwhc.usgs.gov/disease_information/avian_influenza/affected_species_chart.jsp). Modificado 28 Junio de 2007. Revisado el 23 enero 2009.

- Withers, K. & B.R. Chapman. 1993. Seasonal abundance and habitat use of shorebirds on an Oso Bay mudflat, Corpus Christi, Texas. J. Field Ornith. 64:382-392.

- Withworth, D., S. Newman, T. Mundkur, & P Harris. 2007. Wild Birds and Avian Influenza. Manual 5 Animal Production and Health. FAO

Food and Agriculture Organization of the United Nations.

- World Health Organization. 2010. Cumulative Number of Confirmed Human Cases of Avian Influenza A/(H5N1) Reported to WHO, 18 October 2010 . [http://www.who.int/csr/disease/avian\\_influenza/country/cases\\_table\\_2010\\_10\\_18/en/index.html](http://www.who.int/csr/disease/avian_influenza/country/cases_table_2010_10_18/en/index.html)

# **Anexos**

## **Anexo 1.**

Listado de los 100 primeros municipios con la mayor concentración de registros de aves acuáticas en Colombia.

## **Anexo 2.**

Listado de las especies de interés para ser muestreadas en el país.

## **Anexo 3.**

Tabla de Especies que pueden ser de interés por ser depredadores en sistemas acuáticos para el muestreo de influenza aviar.

## **Anexo 4.**

Formato de campo para toma de datos de los individuos capturados en la implementación de los planes regionales para la vigilancia de influenza aviar en aves acuáticas.

## **Anexo 5.**

Especies capturadas en los sitios seleccionados para iniciar la implementación de los planes regionales de vigilancia de influenza aviar en ocho regiones de Colombia.


## **Anexo 6.**

Especies capturadas y muestreadas para aislamiento viral de influenza aviar.

**Anexo 7.** Familias y especies de aves registradas en los sitios priorizados en los planes regionales de vigilancia de influenza aviar en ocho regiones de Colombia.

## **Anexo 8.**

Componentes de la varianza de las densidades poblacionales de algunas especies registradas en la implementación de los planes de vigilancia de influenza aviar en ocho regiones de Colombia.



Libertad y Orden  
**Ministerio de Ambiente  
y Desarrollo Sostenible**  
República de Colombia

Ministerio de Ambiente y Desarrollo Sostenible  
República de Colombia  
PBX 332 3434, 332 3400 Ext 2003  
Calle 37 No. 8-40  
[www.minambiente.gov.co](http://www.minambiente.gov.co)  
Bogotá, Colombia



**DIRECCIÓN DE BOSQUES, BIODIVERSIDAD Y SERVICIOS ECOSISTÉMICOS**  
OCTUBRE 2010